EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	554896	(device network apparatus computer node data) near10 config$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 11:45
S2	46174	(device network apparatus computer node data) near10 config$5 near20 (identif$5 address$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 11:45
S3	10164	network$3 near10 config$5 near20 (identif$5 address$3) near5 (device network apparatus computer node data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 11:45
S4	7522	(network$3 near5 config$5) near20 (identif$5 address$3) near5 (device network apparatus computer node data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 11:46
S5	1040	(network$3 near5 config$5) near20 (identif$5 address$3) near5 (device network apparatus computer node data) and ((schedul$3 cost) near5 (data information rule guideline))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 11:48
S6	603	(network$3 near5 config$5) near20 (identif$5 address$3) near5 (device network apparatus computer node data) and ((schedul$3 cost) near5 (data information rule guideline)) same ((substitut$3 replac $5) apparatus (device computer node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 11:49

		component resource))				
S7	603	(network$3 near5 config$5) near20 (identif$5 address$3) near5 (device network apparatus computer node data) and ((schedul$3 cost) near5 (data information rule guideline)) same ((substitut$3 replac $5) apparatus (device computer node component resource apparatus))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 11:49
S8	32	(network$3 near5 config$5) near20 (identif$5 address$3) near5 (device network apparatus computer node data) and ((schedul$3 cost) near5 (data information rule guideline)) same ((substitut$3 replac $5) apparatus (device computer node component resource apparatus)) same (comar$3 match$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 11:50
S9	17	(network$3 near5 config$5) near20 (identif$5 address$3) near5 (device network apparatus computer node data) and ((schedul$3 cost) near5 (data information rule guideline)) same ((substitut$3 replac $5) apparatus (device computer node component resource apparatus)) same (comar$3 match$3) and (config$5 near10 design$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 11:51

S10	1175	(network$3 near5 config$5) and ((substitut$3 replac$5) apparatus (device computer node component resource apparatus)) same (comar$3 match$3) and (config$5 near10 design$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 12:23
S11	1882	(network$3 near5 config$5) and ((substitut$3 replac$5) apparatus (device computer node component resource apparatus)) same (compar$3 match$3) and (config$5 near10 design$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/20 12:23
S12	19381	(709/220-225).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/20 12:27
S13	1	(network$3 near5 config$5) near20 (component unit apparatus device node server host) near10 (reserv$5 near10 candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 13:04
S14	1	(network$3 near5 config$5)same (component unit apparatus device node server host) near10 (reserv$5 near10 candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 13:05
S15	1	E-MAIL near20 MESSAGING near20 SYSTEM near20 METHOD near20 ENHANCED near20 RICH near20 MEDIA near20 DELIVERY	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 14:31

| S16 | 1 | "20020078158" and (inactivat$3 deactivat $3 de-activat$3) with header | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/05 08:05 |

12/5/08 11:21:13 AM
C:\ Documents and Settings\ jjeangilles\ My Documents\ EAST\ Workspaces
\ 10972434May2008.wsp